



ATEX FANS

Range

ALMECO NV manufactures industrial fans in accordance with the ATEX Directive 2014/34/EU for explosive environments :

- Group II, Categories 2 and 3
- Gas Zones 1, 2 and Dust Zones 21 and 22

Directive 2014/34/EU applies to all manufacturers of equipment (and protective systems) intended for use in potentially explosive atmospheres.

Group II	CAT 1			Zone 0*	A place in which	an explosive atmo- sphere consisting of a mixture with air of fl ammable substances in the form of gas, vapour or mist	is present continuously or for long periods or frequently
		CAT 2		Zone 1			is likely to occur in normal operation occasionally
			CAT 3	Zone 2			is not likely to occur in normal operation but, if it does occur, will persist for a short period only
	CAT 1			Zone 20*		an explosive atmo- sphere in the form of a cloud of combustible dust in air	is present continuously or for long periods or frequently
		CAT 2		Zone 21			is likely to occur in normal operation occasionally
			CAT 3	Zone 22			is not likely to occur in normal operation but, if it does occur, will persist for a short period only

^{*} Fans for Zone 0 / Zone 20 are not available

Conditions of Use

- Gases of explosion group IIA, IIB and hydrogen (IIC). The other gases of group IIC are excluded
- The atmospheric pressure must be between 0,8 and 1,1 bar
- The temperature (ambient air and conveyed air/gas) must be between 20 °C and + 60 °C
- The maximum volume fraction of oxygen is 21 %

Material

- Fan houses are made of steel, hot dip galvanized after fabrication,
 - steel, coated after fabrication,
 - stainless steel grade 304 or 316L, pickled and passivated
- Blades used on axial fans are made of cast aluminium or glassreinforced conductant polyamide
- Fan impellers on centrifugal fans are of steel, coated after fabrication, stainless steel grade 304 or 316L, pickled and passivated
- Available motors: Flameproof (EEx d) | Increased Safety (EEx e) | Non-sparking (EEx nA)


Own Design

- Technical knowledge in-house
- Fast answer on special requirements
- Accurate answer to customer demands





Some Examples



Type: AVKEX 250/2P/6-6/S1H/PACAS/L/50°/B **Motor:** 0,37kW 1x230V 50Hz Eexd IIB T4

Atex: II 2G c II B T4

Q= 2.300 m³/h, Hstat= 200 Pa at 20°C



Type: AVREX 2000/4/4-(7)/FRP/R/8,4° **Motor:** 11kW 3x400V 50Hz Eexde IIBT4

Atex: II 3G c II A T2 / API: 661

Q= 87500 m³/h, Hstat= 170 Pa at 40°C



Type: CF160-62/2P/Arr.5/RD135° **Motor:** 0,37kW 1x230V 50Hz Eexd IIB T4

Atex: || 3G c || AT2 / API : 661

Q= 650 m³/h, Hstat= 650 Pa at 20°C



Type: ExCV900-104/2/4P/RD0

Motor: 11kW 3x400V 50Hz EexnA II T3

Atex: II 3G c II B T3

 $Q = 10.000 \text{ m}^3/\text{h}$, Htot= 2.450 Pa at 90°C





Some Examples



Type: AVKEX 1000/4/8C/10°

Motor: 15kW 3x400V 50Hz EexnA II T3

Atex: II 3G c II B T3

 $Q = 40.000 \text{ m}^3/\text{h}$, Htot= 650 Pa at 50°C



 $\textbf{Type:} \ \text{AVKEX 710/6P/6-6/P5Z/PACAS/L/50°/A10°}$

Motor: 1,5kW 3x400V 50Hz EexnA IIT3

Atex:: II 3G c II B T3

Q= 17.000 m³/h, Hstat= 79 Pa at 29°C



Type: EX CV-355/4-104

Motor: 1.1kW 3x400V 50Hz Eexde IIC T4

Atex: II 2G c II B T3

Q= 1.500 m³/h, Hstat= 1.300 Pa at 20°C



Type: ExCV500-104/3/2P/LG90

Motor: 7,5kW 3x400V 50Hz Eexd IIB T4

Atex: II 2G c II B T4

 $Q = 3.250 \text{ m}^3/\text{h}$, Hstat= 3.500 Pa at 20°C